

International Journal on Advanced Science Engineering Information Technology

Available online at
<http://ijaseit.insightsociety.org>

Advanced Science Image processing image retrieval microprocessor
Back Projection fuzzy Engineering alumina Gait analysis Biometric
Mobile Agent Interpolation Soft Tissue hydrothermal stability Outlier filter
Sampling Theorem Magnetic field porous structure acidity Wireless
Parsimony Database Server Robot Operation Image extraction Bitoma
Graphical User Interface Virus Compensation Life Cycle Cost
Current shaping Phylogenetic Analysis Sensor Networks Energy Saving
Metamorphic Virus neural network Predictive Tools Energy Optimization
parallel port Obfuscation Techniques Admixture Router Image matching
Power factor catalyst Construction Delay Support Vector Machine Regression Analysis
breast phantom Effects of Delay Current harmonics Surveillance
Information Technology soybean



EDITORIAL BOARD

http://ijaseit.insightsociety.org/index.php?option=com_content&view=article&id=3&Itemid

=7

Editor in Chief :

Rahmat Hidayat, (Scopus ID: 57191265401) Politeknik Negeri Padang, INDONESIA

Associate Editors :

Taufik, (Scopus ID: 23670809800), California Polytechnic State University, USA
Haitham Alali, (Scopus ID: 49963007000), Amman Arab University, JORDAN
Wan Mohtar Wan Yusoff, (Scopus ID: 15019967700), Univ. Kebangsaan Malaysia, MALAYSIA
Halimah Badioze Zaman, (Scopus ID: 25825801600), Univ. Kebangsaan Malaysia, MALAYSIA
Son Radu, (Scopus ID: 7005251005), Universiti Putra Malaysia, Malaysia, MALAYSIA
Mohd Razi Ismail, (Scopus ID: 25957691400), Universiti Putra Malaysia, MALAYSIA
Takashi Oku, (Scopus ID: 56275094900), Prefectural University of Hiroshima, JAPAN
Kohei Nakano, (Scopus ID: 7402011766), Gifu University, JAPAN
Nurul Huda, (Scopus ID: 6701695514), Universiti Malaysia Sabah, MALAYSIA
Yandra Arkeman, (Scopus ID: 55946558300), Bogor Agriculture University, INDONESIA
Sate Sampattagul, (Scopus ID: 7801640861), Chiangmai University, THAILAND
Peeyush Soni, (Scopus ID: 9248907800), Asian Institute of Technology, THAILAND
Yolanda Lechon Perez, (Scopus ID: 6602826000), Ciemat, Madrid, SPAIN
Gabriele Arcidiacono (Scopus ID: 56656284600), G. Marconi University, ITALY
Alessandra Pieroni (Scopus ID: 25929524500). , Marconi International University, Florida - USA
Nguyen Hay , (Scopus ID: 15834645900) Nong Lam University. VIETNAM
Rita Muhamad Awang, (Scopus ID: 55957782400), Universiti Putra Malaysia, MALAYSIA
Anton S Prabuwno, (Scopus ID: 18134309800), King Abdulaziz Univ, SAUDI ARABIA
P Mangala C S De Silva, (Scopus ID: 7006461145), University of Ruhuna, SRI LANKA
Bich Huy Nguyen, (Scopus ID: 36191086100), Nong Lam University, VIETNAM
Paul Kristiansen, (Scopus ID: 23097563600), University of New England, AUSTRALIA
Amitava Basu, (Scopus ID: 21833738300), Bidhan Chandra Krishi Vidyalaya, INDIA
Shahrul Azman Mohd Noah, (Scopus ID: 35087633200), Universiti Kebangsaan Malaysia, MALAYSIA
Luca Di Nunzio (Scopus ID:57195199010), University of Rome Tor Vergata, ITALY
Rocco Fazzolari (Scopus ID:36469997900), University of Rome Tor Vergata, ITALY
Ruben Paul Borg (Scopus ID:55246483600), L-Università ta' Malta, Msida, Malta

Editors :

Nurhamidah, (Scopus ID: 57191636504), Andalas University, INDONESIA
Ario Betha Juansilfero, (Scopus ID: 57189369470), Kobe University, JAPAN
Zairi Ismael Rizman, (Scopus ID: 36959761800), Universiti Teknologi MARA (UiTM) (Terengganu) MALAYSIA
Shahreen Kasim, (Scopus ID: 36155431900), Universiti Tun Hussein Onn - MALAYSIA
Chi-Hua Chen, (Scopus ID: 35799698800), National Chiao Tung University, TAIWAN
Abrar Ismardi, (Scopus ID: 26633102900), Telkom University - INDONESIA

TABLE OF CONTENT

Vol. 10 (2020) No. 1

Articles

Methods for Software Visualization of Large Graph Data Structures

Velin Krlev, Radoslava Krleva
pages: 1-8 [Full text](#) [DOI:10.18517/ijaseit.10.1.10739](https://doi.org/10.18517/ijaseit.10.1.10739)

Enhancing Prediction Method of Ionosphere for Space Weather Monitoring Using Machine Learning Approaches: A Review

Nor'asnilawati Salleh, Siti Sophiyati Yuhaniz, Sharizal Fadlie Sabri, Nurulhuda Firdaus Mohd Azmi
pages: 9-15 [Full text](#) [DOI:10.18517/ijaseit.10.1.10163](https://doi.org/10.18517/ijaseit.10.1.10163)

TEGDroid: Test Case Generation Approach for Android Apps Considering Context and GUI Events

Asmau Usman, Noraini Ibrahim, Ibrahim A Salihu
pages: 16-23 [Full text](#) [DOI:10.18517/ijaseit.10.1.10194](https://doi.org/10.18517/ijaseit.10.1.10194)

Quality Model for Massive Open Online Course (MOOC) Web Content

Wan Nurhayati Wan Ab Rahman, Hazura Zulzalil, Iskandar Ishak, Ahmad Wiraputra Selamat
pages: 24-33 [Full text](#) [DOI:10.18517/ijaseit.10.1.10192](https://doi.org/10.18517/ijaseit.10.1.10192)

Case Study on Non-Functional Requirement Change Impact Traceability for Agile Software Development

Adila Firdaus Arbain, Dayang Norhayati Abang Jawawi, Wan Mohd Nasir bin Wan Kadir, Imran Ghani
pages: 34-40 [Full text](#) [DOI:10.18517/ijaseit.10.1.10176](https://doi.org/10.18517/ijaseit.10.1.10176)

A Study on Reuse-based Requirements Engineering by Utilizing Knowledge Pattern

Sabrina Ahmad, Zariza Hashim, Siti Azirah Asmai
pages: 41-46 [Full text](#) [DOI:10.18517/ijaseit.10.1.10168](https://doi.org/10.18517/ijaseit.10.1.10168)

The Development of Web-Based Emotion Detection System Using Keyboard Actions (EDS-KA)

Zuriana Abu Bakar, Ong Sze Seong
pages: 47-57 [Full text](#) [DOI:10.18517/ijaseit.10.1.10170](https://doi.org/10.18517/ijaseit.10.1.10170)

An Analysis of Pre-service Teachers' Learning Process in Programming Learning

Seong-Won Kim, Youngjun Lee
pages: 58-69 [Full text](#) [DOI:10.18517/ijaseit.10.1.5723](https://doi.org/10.18517/ijaseit.10.1.5723)

Bearing Fault Diagnosis Using Motor Current Signature Analysis and the Artificial Neural Network

Thoalfaqar Ali Dhomad, Alaa Abdulhady Jaber
pages: 70-79 [Full text](#) [DOI:10.18517/ijaseit.10.1.10629](https://doi.org/10.18517/ijaseit.10.1.10629)

Exploring the Use of Biometric Smart Cards for Voters' Accreditation: A Case Study of Nigeria Electoral Process

Akande Noah Oluwatobi, Toba Paul Ayeni, Tayo Oladiran Arulogun, Adebisi Ayodele Ariyo, Kayode Anthonia Aderonke

pages: 80-89 [Full text](#) [DOI:10.18517/ijaseit.10.1.8459](https://doi.org/10.18517/ijaseit.10.1.8459)

Estimating Damaged Volume of Historic Pagodas in Bagan after Earthquake using 3D Hough Transform

Thida Aung, Myint Myint Sein

pages: 90-97 [Full text](#) [DOI:10.18517/ijaseit.10.1.8865](https://doi.org/10.18517/ijaseit.10.1.8865)

How Usability Defects Defer from Non-Usability Defects? : A Case Study on Open Source Projects

Nor Shahida Mohamad Yusop, John Grundy, Jean-Guy Schneider, Rajesh Vasa

pages: 98-105 [Full text](#) [DOI:10.18517/ijaseit.10.1.10225](https://doi.org/10.18517/ijaseit.10.1.10225)

Risk Evaluation Using Nominal Group Technique for Cloud Computing Risk Assessment in Healthcare

Nurbaini Zainuddin, Rasimah Che Mohd Yusuff, Ganthan Narayana Samy

pages: 106-111 [Full text](#) [DOI:10.18517/ijaseit.10.1.10169](https://doi.org/10.18517/ijaseit.10.1.10169)

Statistical Comparison of Architecture Driven Modernization with other Cloud Migration Frameworks and Formation of Clusters

Mubeen Aslam, Lukman AB Rahim, Manzoor Hashmani, Junzo Watada

pages: 112-119 [Full text](#) [DOI:10.18517/ijaseit.10.1.10167](https://doi.org/10.18517/ijaseit.10.1.10167)

Automated Test Cases and Test Data Generation for Dynamic Structural Testing in Automatic Programming Assessment Using MC/DC

Rohaida Romli, Shahadath Sarker, Mazni Omar, Musyriyah Mahmud

pages: 120-127 [Full text](#) [DOI:10.18517/ijaseit.10.1.10166](https://doi.org/10.18517/ijaseit.10.1.10166)

A Tesseract-based Optical Character Recognition for a Text-to-Braille Code Conversion

Robert G. de Luna

pages: 128-136 [Full text](#) [DOI:10.18517/ijaseit.10.1.9956](https://doi.org/10.18517/ijaseit.10.1.9956)

Thin Films of Silver Nanowires for Flexible, Transparent, and Conductive (FTC) Electrodes

- Junaidi, Kemal Maulidiasani, Kuwat Triyana, - Khairurrijal

pages: 137-144 [Full text](#) [DOI:10.18517/ijaseit.10.1.5889](https://doi.org/10.18517/ijaseit.10.1.5889)

A Comparative Study of Segmentation Algorithms in the Classification of Human Skin Burn Depth

P.N. Kuan, S. Chua, E.B. Safawi, H.H. Wang

pages: 145-150 [Full text](#) [DOI:10.18517/ijaseit.10.1.10227](https://doi.org/10.18517/ijaseit.10.1.10227)

Univariate Financial Time Series Prediction using Clonal Selection Algorithm

Ammar Azlan, Yuhanis Yusof, Mohamad Farhan Mohamad Mohsin
pages: 151-156 [Full text](#) [DOI:10.18517/ijaseit.10.1.10235](https://doi.org/10.18517/ijaseit.10.1.10235)

Development and Validation of Enterprise Architecture (EA) Readiness Assessment Model

Surya Sumarni Hussein, Mohd Naz'ri Mahrin, Nurazean Maarop, Nur Azaliah Abu Bakar
pages: 157-163 [Full text](#) [DOI:10.18517/ijaseit.10.1.9007](https://doi.org/10.18517/ijaseit.10.1.9007)

Multiple Sensor on Clustering Wireless Sensor Network to Tackle Illegal Cutting

Giva Andriana Mutiara, Nanna Suryana, Othman Mohd
pages: 164-170 [Full text](#) [DOI:10.18517/ijaseit.10.1.8849](https://doi.org/10.18517/ijaseit.10.1.8849)

Improving the Accuracy of Ship Resistance Prediction Using Computational Fluid Dynamics Tool

Van Chinh Huynh, Gia Thai Tran
pages: 171-177 [Full text](#) [DOI:10.18517/ijaseit.10.1.10588](https://doi.org/10.18517/ijaseit.10.1.10588)

A Comparative Study of Interactive Segmentation with Different Number of Strokes on Complex Images

Kok Luong Goh, Giap Weng Ng, Muzaffar Hamzah, Soo See Chai
pages: 178-184 [Full text](#) [DOI:10.18517/ijaseit.10.1.10240](https://doi.org/10.18517/ijaseit.10.1.10240)

Mathematical Models Selection on the Total Suspended Solid Mapping using Reflective Satellite Image Data

Hendrata Wibisana, Bangun Muljo S, Umboro Lasminto
pages: 185-190 [Full text](#) [DOI:10.18517/ijaseit.10.1.6750](https://doi.org/10.18517/ijaseit.10.1.6750)

Application of Time Series InSAR (SBAS) Method using Sentinel-1A Data for Land Subsidence Detection in Surabaya City

Ira Mutiara Anjasmara, Sendy Ayu Yulyta, Muhammad Taufik
pages: 191-197 [Full text](#) [DOI:10.18517/ijaseit.10.1.6749](https://doi.org/10.18517/ijaseit.10.1.6749)

The Implementation Guidelines of Digital Document Management System for Malaysia Public Sector: Expert Review

Azlina Ab Aziz, Zawiyah Mohammad Yusof, Umi Asma Mokhtar, Dian Indrayani Jambari
pages: 198-204 [Full text](#) [DOI:10.18517/ijaseit.10.1.10443](https://doi.org/10.18517/ijaseit.10.1.10443)

Digital Competences Relationship between Gender and Generation of University Professors

Andrea Basantes-Andrade, Marcos Cabezas-González, Sonia Casillas-Martín
pages: 205-211 [Full text](#) [DOI:10.18517/ijaseit.10.1.10806](https://doi.org/10.18517/ijaseit.10.1.10806)

Remote Sensing Data Integration of Landsat 8 and SRTM for Geomorphological Characteristics Identification in Karst Pringkuku, Pacitan, East Java

Silmi Afina Aliyan, Ayi Syaeful Bahri, Amien Widodo, Widya Utama
pages: 212-218 [Full text](#) [DOI:10.18517/ijaseit.10.1.6751](https://doi.org/10.18517/ijaseit.10.1.6751)

Vulnerability Assessment of Landslide Areas in Ci Manuk Upstream Watershed, Garut District, West Java Province

Muhammad Edgar Fauzan, Astrid Damayanti, Ratna Saraswati
pages: 219-226 [Full text](#) [DOI:10.18517/ijaseit.10.1.6755](https://doi.org/10.18517/ijaseit.10.1.6755)

Urgent Measure of Geospatial Parameters for Flood Modeling in Indonesia

Heri Andreas, Dina A Sarsito, Angga Trysa Yuherdha, Dhota Pradipta
pages: 227-233 [Full text](#) [DOI:10.18517/ijaseit.10.1.6743](https://doi.org/10.18517/ijaseit.10.1.6743)

Indonesian Text Classification using Back Propagation and Sastrawi Stemming Analysis with Information Gain for Selection Feature

Mahendra Dwifabri Purbolaksono, Feddy Dea Reskyadita, - Adiwijaya, Arie Ardiyanti Suryani, Arief Fatchul Huda
pages: 234-238 [Full text](#) [DOI:10.18517/ijaseit.10.1.8858](https://doi.org/10.18517/ijaseit.10.1.8858)

Developing and Validating an Instrument for Social Content Management

Wan Azlin Zurita Wan Ahmad, Muriati Mukhtar, Yazrina Yahya
pages: 239-245 [Full text](#) [DOI:10.18517/ijaseit.10.1.10269](https://doi.org/10.18517/ijaseit.10.1.10269)

The Acceptance of Braille Self-Learning Device

Zaid Haron Musa Jawasreh, Noraidah Sahari Ashaari, Dahlila Putri Dahnil
pages: 246-252 [Full text](#) [DOI:10.18517/ijaseit.10.1.10263](https://doi.org/10.18517/ijaseit.10.1.10263)

Technology Integration to Promote Desire to Learn Programming in Higher Education

Nurul Faeizah Husin, Hairulliza Mohamad Judi, Siti Aishah Hanawi, Hazilah Mohd Amin
pages: 253-259 [Full text](#) [DOI:10.18517/ijaseit.10.1.10264](https://doi.org/10.18517/ijaseit.10.1.10264)

Modeling Methane Emission of Wastewater Anaerobic Pond at Palm Oil Mill Using Radial Basis Function Neural Network

Ledis Heru Saryono Putro, Dedik Budianta, Dedi Rohendi, Amin Rejo
pages: 260-268 [Full text](#) [DOI:10.18517/ijaseit.10.1.9577](https://doi.org/10.18517/ijaseit.10.1.9577)

Seismic Vulnerability Mapping to Support Spatial Plans in Lhokseumawe City Area

Deassy Siska, Herman Fithra, Nova Purnama Lisa, Nandi Haerudin, Muhammad Farid
pages: 269-273 [Full text](#) [DOI:10.18517/ijaseit.10.1.10276](https://doi.org/10.18517/ijaseit.10.1.10276)

The Role of Natural Gas in Indonesia CO2 Mitigation Action: The Environmental Kuznets Curve Framework

Dede Udayana Laksana, Uka Wikarya
pages: 274-285 [Full text](#) [DOI:10.18517/ijaseit.10.1.10660](https://doi.org/10.18517/ijaseit.10.1.10660)

Assessing Eutrophication in the Coastal Bay by ASSETS Index Model

Huong Giang Le Thi, Nguyen Thi, Nguyen Thi, Nurhamidah Nurhamidah, Tuan Anh Tran
pages: 286-292 [Full text](#) [DOI:10.18517/ijaseit.10.1.10621](https://doi.org/10.18517/ijaseit.10.1.10621)

Underwater Photogrammetry Application for Coral Reef Mapping and Monitoring

Agung Budi Cahyono, Andreas Catur Wibisono, Dian Saptarini, Rizki Indra Permadi, Yanto Budisusanto, Husnul Hidayat
pages: 293-297 [Full text](#) [DOI:10.18517/ijaseit.10.1.6747](https://doi.org/10.18517/ijaseit.10.1.6747)

The Rainfall Effect Analysis of Landslide Occurrence on Mount Slopes of Wilis

Lalu Muhamad Jaelani, Rizha Fahlefi, Mohammad Khoiri, Juan Pandu Gya Nur Rochman
pages: 298-303 [Full text](#) [DOI:10.18517/ijaseit.10.1.6876](https://doi.org/10.18517/ijaseit.10.1.6876)

Numerical Study: Effect of Various Link Length to Lateral Force in Eccentrically Braced Frame

- Nidiasari, Sabril Haris, Lulu Ulwani Umry
pages: 304-310 [Full text](#) [DOI:10.18517/ijaseit.10.1.10308](https://doi.org/10.18517/ijaseit.10.1.10308)

The Rainfall Effect Analysis of Landslide Occurrence on Mount Slopes of Wilis

Lalu Muhamad Jaelani[#], Rizha Fahlefi[#], Mohammad Khoiri^{*}, Juan Pandu Gya Nur Rochman⁺

[#]*Department of Geomatics Engineering, Institut Teknologi Sepuluh Nopember, Kampus ITS, Keputih, Sukolilo, Surabaya, 60111, Indonesia
E-mail: lmjaelani@geodesy.its.ac.id*

^{*}*Department of Civil Infrastructure Engineering, Institut Teknologi Sepuluh Nopember, Kampus ITS, Keputih, Sukolilo, Surabaya, 60111, Indonesia*

⁺*Department of Geophysical Engineering, Institut Teknologi Sepuluh Nopember, Kampus ITS, Keputih, Sukolilo, Surabaya, 60111, Indonesia*

Abstract— Water is a significant factor in the occurrence of landslides when rainwater absorbs into the impermeable layer of soil and causes the soil to experience weathering; thus, that the soil is not strong enough to withstand the water load. Therefore, rainfall, as well as a land slope that affects the acceleration of runoff, becomes an important indicator that affects the potential for landslides. In this research, the effect of rainfall intensity on landslide was analyzed based on monthly data collected from 81 rain gauge stations. This idea was an effort to support research related to landslides mapping on the steep area. Thus, the analysis of potential landslides that vary according to rainfall changes monthly was obtained. La Nina phenomenon in 2016 causes the intensity of rainfall in the dry season to be quite high. However, the intensity values continued to show a significant change between dry and rainy seasons. The area of low landslide hazard changed significantly for low rainfall intensity (July 2016) and high intensity in April 2017. The total area of landslide hazard in April 2017 was 1.09 and 0.82 times more massive than in August 2016 for high and moderate potential hazards, respectively. Based on the characteristic of rainfall that change frequently and water as the primary trigger of the landslide, in determining the potential for landslides, rainfall factors need to be considered more detailed.

Keywords— landslides hazard; La Nina; Mount Wilis; rainfall effect.

I. INTRODUCTION

Hydro-meteorological disaster is one of the phenomena that occurred at any time, could cause harm to any aspect. One of the disasters is a landslide that is often resulting in loss of property even of life and damage other facilities that could have an impact on economic and social conditions [1]. Water is a significant factor in the occurrence of landslides when rainwater absorbs into an impermeable layer of soil and causes the soil to experience weathering; thus, it was not strong enough to withstand water loads. This factor increased soil load that causing ground movement on the sliding plane because in this field occurs weathering and soil layers, which is not able to withstand the load of water that penetrates the layer [2].

Principally, landslides occurred when the force retaining found the slopes that cannot contain the weight or force size was lower than the driving force of the load water seep or penetrate the soil. Soil density and strength affect the retention force. While affecting the propulsive force was the angle of slope of the land, type of soil and rock, as well as

water [2]. Rainfall becomes an important indicator that supports the potential for landslides in very steep locations. The slope of the land affects the acceleration of runoff [3]. La Niña has strong relation with rainfall phenomena [4]–[7]. N La Niña phenomenon reported during a dry session of 2016 affected Indonesia's area. Its cooler surface waters lead to less rising air, therefore fewer clouds than average in the central Pacific. Conversely, there was more rising air, clouds, and rainfall over Indonesia during that event [8].

High intensity of rainfall in a short time could be causing a low landslide. Then high-intensity rainfall in a long time could lead to higher potential landslides than before [9]. Several studies of rainfall had ever done, such as studied, to determine the duration and intensity of rainfall patterns [10], [11]. The objective of this research was to know the effect of rainfall intensity induced by La Nina to a local landslide phenomenon on Mount Slopes of Wilis. This work was an effort to support research related to landslides mapping on the steep area. Thus, the analysis of potential landslides that vary according to rainfall changes every month was obtained.

II. MATERIALS AND METHOD

A. Study Area and Data

The research related to the effect of rainfall on landslides was performed on Mountslopes of Wilis ($07^{\circ} 46' 27''$ S to $07^{\circ} 57' 6''$ S and $111^{\circ} 38' 45''$ E to $111^{\circ} 40' 40''$ E). This area has a maximum altitude of 2,563 meters above sea level, which is administratively in a part of six regencies, including Madiun, Ponorogo, Nganjuk, Kediri, Trenggalek and Tulungagung as presented in Figure 1.




Fig. 1 Location of Mount Wilis

The data used in this study was the monthly rainfall data for one year, ranging from May 2016 to April 2017, which was collected by the Indonesian Agency for Meteorology, Climatology, and Geophysics (BMKG) Karangploso, East Java. Data consisted of 81 rainfall monitoring stations spread throughout the area of study. Average monthly data for all stations and each station were presented in Figure 2 and Table 1-6. Considering the landslide event on April 2017, this research was focused on the data taken one month prior to the events. As a comparison, the lowest rainfall intensity in July was analyzed.




Fig. 2 Monthly rainfall from rain gauge

TABLE I
JULY 2016 AND MARCH 2017 MONTHLY RAINFALL DATA OF NGANJUK

No.	Station name	Rainfall (mm)	
		July 2016	March 2017
1	Sumber Pecan	42	518
2	Tempuran	47	350
3	Kedung Maron	40	275
4	Tretes	100	238
5	Patihan	76	470
6	Soko kedung	99	261
7	Pulses	69	306
8	Pace	78	269
9	Tunglur	42	257
10	Badong	52	280
11	Klodian	60	369
12	Palu Ombo	80	197
13	Sawahana	69.9	273.3
14	Genjeng	30	403

TABLE II
JULY 2016 AND MARCH 2017 MONTHLY RAINFALL DATA OF MADIUN

No.	Station name	Rainfall (mm)	
		July 2016	March 2017
1	Sidomulyo I/Dawuan	62	174
2	Mlilir / DAM Gombal	77	400
3	Sugiharwas/Saradan	32	186
4	Dolopo	31	304
5	PG Pagotan	49	225
6	Curry	0	202
7	DAM Sareng	35	226
8	Wungu I/Dungus	54	176
9	Wungu II/Cau	98	222
10	Cermo	35	211
11	Kandangan	32	319
12	Gemarang	6	228
13	Kebonagung/Wates	3	85
14	Patihan I/PG. Rejo Agung	53	362
15	Klegen	70	450
16	Kertoharjo II/Madison PU	66	442
17	Banjarrejo/PG. Kanigoro	194	336
18	Kenongorejo/Pilang Kenceng	68	378

TABLE III
JULY 2016 AND MARCH 2017 MONTHLY RAINFALL DATA OF KEDIRI

No.	Station name	Rainfall (mm)	
		July 2016	March 2017
1	Damarwulan	62	493
2	Wonomarto	25	47
3	Sidorejo	82	282
4	Baye	91	338
5	Kras	48	455
6	Kunjang	61	365
7	Cerme	72	359
8	Tales	94	554
9	Tiron	23	368
10	Letter	62	493
11	Jugo	284	486
12	Kedak	27	406

TABLE IV
JULY 2016 AND MARCH 2017 MONTHLY RAINFALL DATA OF PONOROGO

No.	Station name	Rainfall (mm)	
		July 2016	March 2017
1	Wilangan	138	265
2	Kauman/Sumoroto	0	175
3	Badegan	48	108
4	Prayungan/Sawo	57	239
5	Wagir lor/Ngebel	70	89
6	Pudak Wetan	138	265
7	Sooko	115	235
8	Ngrayun	35	347
9	Talun	89	265
10	Kesugihan	151	244
11	Pulung	79	265
12	Bangsari/Ponorogo	32	283
13	Cottage/Babadan	94	225

B. Data Processing

1) *Pre-Processing*. Rainfall data for the research area was collected from 81 stations, which are distributed in the six regencies' areas that surround Mount Wilis. The data provided in the form of excel data contains the coordinates of the station as well as monthly rainfall intensities. Data was rearranged in order to be incorporated into the software to process its spatial interpolation value from all stations.

2) *Spatial Interpolation*. Spatial interpolation was processed using Inverse Distance Weighted [12]–[14]. This method assumes the simple weight at the point in the vicinity, and the value obtained close to a value near the point than those further away from the point and will change the value based on the distance from the point [15].

TABLE V
JULY 2016 AND MARCH 2017 MONTHLY RAINFALL DATA OF TRENGGALEK

No.	Station name	Rainfall (mm)	
		July 2016	March 2017
1	Gemaharjo Watulimo	526	224
2	Tawing/Munjungan	661	288
3	Duren/Tugu	138	229
4	Pule	115	235
5	Dompyong/Dams	161	518
6	Surodakan/Bagong	81	308
7	Gemblebingulan Wetan	25	186
8	Prambon	94	218
9	Wonocoyo/Pelvis	295	231

TABLE VI
JULY 2016 AND MARCH 2017 MONTHLY RAINFALL DATA OF TULUNGAGUNG

No.	Station name	Rainfall (mm)	
		July 2016	March 2017
1	Sumberingin Kidul/Ngunut	50	250
2	Nglurup/Source Pandan	273	358
3	Nyawangan/Ngantup	165	339
4	Kalidawir	45	143
5	Ngantru	59	125.1

No.	Station name	Rainfall (mm)	
		July 2016	March 2017
6	Duo	67.6	119
7	Mixed Land	78.5	139
8	Besuki	85.5	57.6
9	Paingan	167	261
10	Rejotangan	50	232
11	Mojopanggung	127	333
12	Bolorejo	132	242
13	Spring	221	494
14	Paging Wojo	174	358
15	Source Manggis	108	344

TABLE VII
DISTRIBUTION OF MONTHLY RAINFALL VALUE CLASSES

Class	Information
0-100 mm	Low
100-300 mm	Medium
300-500 mm	High
> 500 mm	Very high

3) *Reclassification*. Rainfall data then classified into three classes. *Low range*, medium range and high intensity for as 0-300 mm, 300-500 mm and above 500, respectively [16]

TABLE VIII
WEIGHT RAINFALL INTENSITY CLASS

Factor	Class	Score
Rainfall (mm / month)	<300 mm	1
	300-500 mm	2
	> 500 mm	3

III. RESULT AND DISCUSSION

A. Rainfall Intensity Differences

Rainfall data, as presented in Figure 2 showed the differences of rainfall intensity during the dry season (May - October 2016) and the wet season (November 2016 - April 2017) at all the observed sites. However, the high intensity occurred in the dry season (in reasonable condition, it should be no rain) was considered as an influence of La Nina phenomenon. A comparison between predicted rainfall data produced by BMKG with a rainfall due to the La Nina phenomenon showed significant differences [17].

In the rainy season, rainfall data taken in March 2017, one month before the occurrence of a significant landslide in the area of Ponorogo in April 2017. As for the dry season, data was taken in July 2016 by considering the lowest rainfall intensity among all observed times. The range of values of rainfall and the number of stations recording data were shown in Table 9 and Table 10.

TABLE IX
RAINFALL EVENTS IN JULY 2016

No.	Monthly precipitation (mm)	Number of Stations
1	0-100	61
2	100-300	18
3	300-500	0
4	> 500	2

TABLE X
RAINFALL EVENTS IN MARCH 2017

No.	Monthly rainfall (mm)	Total stations
1	0-100	4
2	100-300	44
3	300-500	30
4	> 500	3

Almost all monitoring stations in July 2016 were at a low level with a range of values 0-300 mm. In contrast to March 2017 in which nearly 50% of the total number of stations was at the medium level, and there were three stations with high rainfall.

B. Rainfall Distribution Map

Rainfall distribution map that created using spatial interpolation from 81 distributed rain gauge stations in July 2016 and March 2017 could be seen in Figure 3 (a) and (b), respectively. The intensity of rain in the dry and rainy seasons can affect a significant change in the level of vulnerability to landslides. This is because rainfall with a large amount of water can lead to soil saturation; thus, it can increase susceptibility to landslides. The water factor is the major contributor to landslides.




Fig. 3 Rainfall Distribution Map (a) July 2016 (b) March 2017




Fig. 4 Landslide Hazard Map (a) August 2016 (b) April 2017

C. The Effect of Rainfall to Landslide

Figure 4 showed the effect of different rainfall intensity that affects the landslide event. In April 2017, a rainfall data of march 2017 saturated the potential landslide area. The area of low landslide hazard was different significantly for low (in July 2016) and high (March 2017) rainfall intensity. Even though the landslide hazard of 2016 was lower than of 2017, the hazard index was at a high level. This condition was affected by abnormal rainfall during the dry session that induced by the La Nina phenomenon. The total area of landslide hazard in April 2017 increased from 1807 to 1975

km² and decreased from 931 to 764 km² for high and moderate potential hazards, respectively.

D. Reported Landslide Events.

During 2016-2017, Regional Disaster Management Agency (BPBD) in the area of Mount Slopes of Wilis collected landslide events in their area. Fig 5 shows the distribution of landslide during 2016 and 2017. The data was based on the landslide event in one sub-district, which means one occurrence in one sub-district will be represented as a total area of its sub-district.




Fig. 5 Landslide events in (a) 2016 (b) 2017

Fig 4 and 5 gave a consistent pattern between predicted and actual landslide events. Even though in dry sessions, many events occurred during 2016 as an effect of La Nina.

IV. CONCLUSIONS

Remote sensing technique can be used to perform a physical analysis of landslides on the Mountslopes of Wilis. The data used to determine the potential of landslides include slope data, soil and rock types, rainfall, and land cover. From these four parameters, slope and soil/rock data changed in an extended period, land cover in medium period time, and rainfall in a short period. The area of low landslide hazard changes significantly for low rainfall intensity (July 2016) and high intensity in March 2017. The total area of landslide hazard in April 2017 was 1.09 and 0.82 times more massive than in August 2016 for high and moderate potential hazards, respectively.

Even though the landslide hazard of 2016 was lower than of 2017, the hazard index was at a high level. This condition

was affected by abnormal rainfall during the dry session that induced by the La Nina phenomenon. The phenomenon causes rainfall in dry session and triggers the landslide hazard. Based on the characteristic of rainfall that change frequently and water as the primary trigger of a landslide, in determining the potential for landslides, rainfall factors need to be considered more detail

ACKNOWLEDGMENT

The author thanks The Ministry of Research, Technology, and the Higher Education Republic of Indonesia for financial support in completing this research.

REFERENCES

- [1] J. A. Nugroho, B. M. Sukojo, and I. L. Sari, "Pemetaan Daerah Rawan Longsor dengan Penginderaan Jauh dan Sistem Informasi Geografis (Studi Kasus Hutan Lindung Kabupaten Mojokerto)," pp. 79-94, 2009.
- [2] PVMBG, "Pengenalan Gerakan Tanah," 2005.

- [3] B. Widiarso, *Pengaruh Intensitas Curah Hujan, Kemiringan Lereng dan Sifat Fisik Tanah Terhadap Erosi Pada Berbagai Jenis Tanah*. 1986.
- [4] Supari, F. Tangang, E. Salimun, E. Aldrian, A. Sopaheluwakan, and L. Juneng, "ENSO modulation of seasonal rainfall and extremes in Indonesia," *Clim. Dyn.*, vol. 51, no. 7–8, pp. 2559–2580, Oct. 2018.
- [5] R. H. Kripalani and A. Kulkarni, "Rainfall variability over South-East Asia - Connections with Indian monsoon and Enso extremes: New perspectives," *Int. J. Climatol.*, vol. 17, no. 11, pp. 1155–1168, 1997.
- [6] H. Lee, "General Rainfall Patterns in Indonesia and the Potential Impacts of Local Seas on Rainfall Intensity," *Water*, vol. 7, no. 12, pp. 1751–1768, Apr. 2015.
- [7] M. N. Nur'utami and R. Hidayat, "Influences of IOD and ENSO to Indonesian Rainfall Variability: Role of Atmosphere-ocean Interaction in the Indo-pacific Sector," *Procedia Environ. Sci.*, vol. 33, pp. 196–203, 2016.
- [8] Emily Becker, "November 2016 La Niña update," *NOAA Climate.gov*, 2016. [Online]. Available: <https://www.climate.gov/news-features/blogs/enso/november-2016-la-niña-update-hello-lady>. [Accessed: 05-Aug-2018].
- [9] Hasnawir, "Intensitas Curah Hujan Memicu Tanah Longsor Dangkal Di Sulawesi Selatan (Rainfall intensity induced shallow landslides in South Sulawesi)," *J. Penelit. Kehutan. Wallacea*, vol. 1, no. 1, pp. 62–73, 2012.
- [10] A. Kartin and M. I. Jumarang, "Kesesuaian Persamaan Pola Intensitas Curah Hujan Sebagai Fungsi dari Durasi Hujan di Balai Pengamatan Dirgantara Pontianak," *J. Prisma Fisika*, vol. 3, no. 02, pp. 51–55, 2015.
- [11] H. Y. Lilis, A. Hendry, and H. Suherly, "Pemilihan Metode Intensitas Hujan yang Sesuai dengan Karakteristik Stasiun Pekanbaru," *J. Jur. Tek. Sipil Fak. Tek. Univ. Riau*, 2007.
- [12] NCGIA, "Interpolation : Inverse Distance Weighting," 2007.
- [13] S. Shekhar and H. Xiong, "Inverse Distance Weighting," in *Encyclopedia of GIS*, 2008.
- [14] G. H. Pramono, "Akurasi Metode IDW dan Kriging untuk Interpolasi Sebaran Sedimen Tersuspensi di Maros, Sulawesi Selatan," *Forum Geogr.*, vol. 22, no. 1, pp. 145–158, 2008.
- [15] J. Pasaribu and N. Haryani, "Perbandingan Teknik Interpolasi DEM SRTM dengan Metode Invers Distance Weighted (IDW) Natural Neighbor dan Spline (Comparison Of DEM SRTM Interpolation Techniques Using Inverse Distance Weighted (IDW), Natural Neighbor and Spline Method)," *J. Penginderaan Jauh*, vol. 9, no. 2, pp. 126–139, 2012.
- [16] M. Khoiri, L. M. Jaelani, and A. Widodo, "Landslides Hazard Mapping Using Remote Sensing Data in Ponorogo Regency , East Java," *Internet J. Soc. Soc. Manag. Syst.*, vol. 11, no. 2, pp. 101–110, 2018.
- [17] F. Nabilah, Y. Prasetyo, and A. Sukmono, "Analisis Pengaruh Fenomena El Nino dan La Nina Terhadap Curah Hujan Tahun 1998-2016 Menggunakan Indikator ONI (Oceanic Nino Index) (Studi Kasus : Provinsi Jawa Barat)," *Geod. Undip*, vol. 6, no. Sistem Informasi Geografis, 2017.



Source details

International Journal on Advanced Science, Engineering and Information Technology

CiteScore 2021
1.8



Scopus coverage years: from 2015 to 2022

SJR 2021
0.251



Publisher: INSIGHT - Indonesian Society for Knowledge and Human Development

ISSN: 2088-5334 E-ISSN: 2460-6952

SNIP 2021
0.589



Subject area: Agricultural and Biological Sciences: General Agricultural and Biological Sciences Engineering: General Engineering

Computer Science: General Computer Science

Source type: Journal

[View all documents >](#)

[Set document alert](#)

[Save to source list](#) [Source Homepage](#)

[CiteScore](#) [CiteScore rank & trend](#) [Scopus content coverage](#)

i Improved CiteScore methodology



CiteScore 2021 counts the citations received in 2018-2021 to articles, reviews, conference papers, book chapters and data papers published in 2018-2021, and divides this by the number of publications published in 2018-2021. [Learn more >](#)

CiteScore 2021

$$1.8 = \frac{2,447 \text{ Citations 2018 - 2021}}{1,360 \text{ Documents 2018 - 2021}}$$

Calculated on 05 May, 2022

CiteScoreTracker 2022

$$1.4 = \frac{1,817 \text{ Citations to date}}{1,312 \text{ Documents to date}}$$

Last updated on 05 January, 2023 • Updated monthly

CiteScore rank 2021

Category	Rank	Percentile
Agricultural and Biological Sciences	#87/211	59th
General Agricultural and Biological Sciences		
Engineering	#146/300	51st
General Engineering		

[View CiteScore methodology >](#) [CiteScore FAQ >](#) [Add CiteScore to your site](#)

About Scopus

[What is Scopus](#)

[Content coverage](#)

[Scopus blog](#)

[Scopus API](#)

[Privacy matters](#)

Language

[日本語版を表示する](#)

[查看简体中文版本](#)

[查看繁體中文版本](#)

[Просмотр версии на русском языке](#)

Customer Service

[Help](#)

[Tutorials](#)

[Contact us](#)

ELSEVIER

[Terms and conditions](#) ↗ [Privacy policy](#) ↗

Copyright © Elsevier B.V. ↗. All rights reserved. Scopus® is a registered trademark of Elsevier B.V.

We use cookies to help provide and enhance our service and tailor content. By continuing, you agree to the use of cookies ↗.

